

Rejuven8® Plus

Spartech's PolyPrime® line of products offers many unique brands for a variety of applications.

BENEFITS

- UV printable – screen, digital & offset
- Bio-based and natural mineral based reducing fossil fuel content by over 90%
- Improved heat resistance versus typical PLA-based plastics
- Improved processing
- Superior lay-flat, sheet squareness & dimensional control
- Custom sizes and thicknesses
- Excellent stiffness

Rejuven8® Plus SPECIFICATIONS

Order Size		10,000 lb min
Appearance		White
Gauge		0.015 – 0.040
Opacity Range (based on 0.015G)		Double opaque, dead white
Roll Stock	Web Width Min	1"
	Web Width Max	50" (may vary based on gauge)
Roll Diameter	Minimum	10"
	Maximum	36"
Core Size		6" standard, others available
Sheet Stock	Width Min	12"
	Width Max	50" (may vary based on gauge)
	Length Min	19"
	Length Max	96"
Surface Treat	Corona	46 dyne or higher both sides
Surface Finish	Matte/matte	

Rejuven8® Plus TYPICAL PHYSICAL PROPERTIES

For detailed physical properties information on this branded product, please contact your sales representative or go to spartech.com to request materials.

Call 800-428-0840 or email sales@spartech.com to order these products.

