





## ROYALAERO™ R755 Safe & Sustainable Ideas Take Off

From seat backs, trays, bulkheads, and window shrouds to lavatory parts, galley carts, and flooring, commercial aircraft interiors require a multitude of essential components - all with varied thermoforming and performance requirements. Spartech addresses all these design challenges with the innovative RoyalAero™ R755.

Choose RoyalAero™ R755 for a solution that enhances efficiency, reduces environmental impact, and ensures the highest quality for your aircraft interiors.

- · Fire-rated, rigid PVC/acrylic material engineered for commercial aircraft interiors
- Meets FAR25.853(d) part (IV) & (V) requirements for all thicknesses/colors
- Meets heat deflection temperature requirements
- · Excellent formability, hot tear strength, ductility and ability to maintain uniform wall thickness
- · Resists staining, fading, cracking and crazing caused by harsh cleansers
- · Customization options: Colors, sheet sizes, gauges, surface finishes, and functionalities such as static control and antimicrobial properties.

## HELPING KEEP AIR TRAVEL SUSTAINABLE

- Ultra-thin gauge for specifications down to 0.028" in thickness! Lightweighting material helps reduce fuel consumption.
- Circular Recyclability. ALL RoyalAero™ products can be designed with up to 100% recycled content and Spartech has a proven trim buy-back program.

Call 800-677-4338 or email marketing@spartech.com to order these products.

**FOLLOW US:** 

11650 Lakeside Crossing Ct., Maryland Heights, MO 63146 • 800-677-4338 • www.spartech.com • Made in USA

Copyright ©2025, Spartech, LLC. Spartech makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Spartech makes no warranties or guarantees respecting suitability of either Spartech's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. SPARTECH MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or product reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.